

Concord Blue

Cabinet Specifications

 $\textcircled{1} \frac{\text{Face Frames}}{\text{Face Frames are } \frac{3}{4}\text{"}*1\frac{1}{2}\text{"}} \text{ solid hardwood. Frames are}$ mortise and tenons construction reinforced with glue and nails.Frames are dadoed to received cabinet ends,top, and bottoms.

 $\textcircled{2} \frac{\text{Tops \& Bottoms}}{\text{Tops and bottom panels are } \frac{1}{2}\text{" thick multi-ply hardwood}}$ plywood. Tops and bottoms are dadoed into the face frame and end panels. Base bottom panels are $\frac{3}{8}$ "thick.

Toe kicks shall be $\frac{1}{2}$ " thick hardwood plywood .

End panels are $\frac{1}{2}$ thick mutli-ply hardwood plywood. All end panels are dadoed into the face frame and recessed $\frac{3}{16}$. S Adjustable Shelves

Adjustable shelves are 5/8" thick multi-ply hardwood Plywood. Edge banded with wood tapes. (Exceeds industry standards.)

6 Back Panels

Back are ½"thick multi-ply hardwood plywood. Backs are routed, glued and nailed in cabinet. (Exceeds industry standards.)

Shelf clips are 6mm bore with a fluted Metal clips. Shelved are adjustable on $2\frac{1}{2}$ increments.

 $\frac{3}{4}$ "HDF door styles with flat panels.

 $\textcircled{9} \frac{ \text{Hinges}}{ \text{Full Overlay , Concealed, 110 degree}} \text{ opening, with soft}$ closing dampers .

Drawer Boxes

 $\frac{5}{8}$ solid hardwood front, back and 2 sides with $\frac{3}{8}$ plywood drawer bottoms, Dovetail construction. (Exceeds industry standards.)

Drawer Glides

Soft Closing Undermount Full Extension Glides .. (Exceeds industry standards)

Base Corner Brackets

High impact, injection molded plastic .

Hanging Strips

(3) Hanging strip are $\frac{3}{4}$ "*1 $\frac{1}{4}$ " hardwood.



